



Screwless Wiring
Accessories





definity™

The Screwless Range

Definity™ unique product codes

When ordering either an insert or cover plate from this catalogue, please specify a unique product code as shown. For example if you wish to order a 2 gang 13A switched socket in stainless steel with a black switch and insert, the unique product code for the insert will be SIN036BK and for the cover plate will be SCP436SS.

SIN

Definity™ insert prefix

036

Product Number

BK

Insert Colour

SS

'INGOT' switch finish (if applicable)

SCP

Definity™ cover plate prefix

436

Product Number

SS

Product Colour

If a 2 gang 13A switched socket in stainless steel with a stainless steel ingot switch and black insert is preferred, the unique product code for the insert will be SIN536BKSS and for the cover plate will be SCP436SS.

Contents

Product Complete Design

Switches	e6
Power Socket Outlets	e12
Fused Connection Units	e14
Control Switches	e20
45A Switches	e18
Socket & Blank Plates	e23
Telephone & Data Sockets	e26
Satellite & Coaxial Outlets	e27
New Media™ Plates	e28

Components Listing

Switches	e30
Switches & Blank Plates	e37
Socket Outlets	e38
Fused Connection Units	e42
Red Fused Connection Units	e46
45A Switches	e47
RJ11 Outlet	e48
UK Telephone Outlet	e49
Satellite & Coaxial Outlets	e50
New Media™ Plates	e52
Galvanised Boxes	e53
Dry Lining Boxes	e54

The smooth, clean lines of Definity™ products provide the ultimate finishing touch to a feature packed range of decorative domestic electrical accessories.

Definity™ has evolved from our well established Define® flat plate accessory range and features all of the same attributes including modular switching but without the visible fixing screws.

Definity™ goes one stage further by incorporating screwless, push-fit face plates in 6 assorted finishes. The face plates are supplied independently of the electrical inserts which means that the initial installation of the product can be carried out and any subsequent maintenance or decoration completed before the final selection and fixing of the face plate.

For the installer, this means a greater degree of flexibility in the timing of the installation of the insert and the distributor need not carry excessive levels of costly finished product. Furthermore should subsequent interior design change or re-decoration dictate that a different colour accessory be required to complement the new scheme, replacement plates

can be sourced individually and fitted without the need for any special tools or electrical skills.

Each Definity™ product comprises an insert and a decorative cover plate. Plates are available in 6 different finishes as detailed in this catalogue and as illustrated below.

*UK Design Registration 3015621



Insert Red (RD) White (PW) Stainless Steel (SS) *Brushed Stainless (BS) Polished Chrome (CH) Matt Black (BK)

Simply select the required insert and choice of cover plate finish.


Switches

MINIGRID®

The range of Definity™ modular switches comprises of both moulded black or white switches as well as metallic finished 'Ingot' switches, which features a simple single screw fixing to the insert.

The modular Minigridd™ format is fitted as standard and is enhanced by the availability of multi-functional and fully interchangeable modules which also includes 'Ingot' finishes through the range.

The unfurnished single and double plates offer the installer unprecedented flexibility in creating customised wiring solutions.



All Definity™ switch plates are modular as standard, allowing you to create virtually any switch plate you require e.g. Two way switch next to an intermediate switch (shown above).



The rotary dimmer switches are interchangeable with the use of our M10 nut runner tool. There are a host of alternative dimmer modules and plates available, see page j37.



Traditional toggle switches are also listed with an intermediate single switch plate option. The 2 way toggle switch is interchangeable with the intermediate toggle module.



For details of the complete Minigridd™ range of modules, please refer to our dedicated Minigridd™ section.

Modular Switches | Rotary Dimmer Switches
Toggle Switches | Control Switches

Definity™ plates are coated stainless steel, available in the following finishes: Brushed Stainless (BS), Polished Chrome (CH) and Stainless Steel (SS). White (PW) & Black (BK) are also available, produced from polycarbonate.

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).


SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Simple, single screw or snap fit installation of the modules on the mounting plates has encouraged contractors to devise and install customised switching solutions on-site.



SIN011, SIN025 **SCP401**



SIN012 **SCP402**



SIN013 **SCP403**



SIN019 **SCP404**



SIN105 **SCP406**

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

1 Gang Intermediate Switch Insert

SIN025 10AX 1 Gang Intermediate Switch Insert

MiniGrid™ Cover Plates

SCP401 1 Gang MiniGrid™ Cover Plate - 1 Aperture

2 Way Switch Inserts

SIN011 10AX 1 Gang 2 Way Switch Insert

SIN012 10AX 2 Gang 2 Way Switch Insert

SIN013 10AX 3 Gang 2 Way Switch Insert

SIN019 10AX 4 Gang 2 Way Switch Insert

SIN105 10AX 6 Gang 2 Way Switch Insert

MiniGrid™ Cover Plates

SCP401 1 Gang MiniGrid™ Cover Plate - 1 Aperture

SCP402 1 Gang MiniGrid™ Cover Plate - 2 Apertures

SCP403 1 Gang MiniGrid™ Cover Plate - 3 Apertures

SCP404 2 Gang MiniGrid™ Cover Plate - 2 x 2 Apertures

SCP406 2 Gang MiniGrid™ Cover Plate - 2 x 3 Apertures

Standards: BS EN 60669

Back Box Depth: 25mm Minimum Cable Size: 4 x 1.5mm² / 2 x 2.5mm² / 1 x 6mm² Maximum
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN411, SIN425 **SCP401**



SIN412 **SCP402**



SIN413 **SCP403**



SIN414 **SCP404**



SIN416 **SCP406**

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Ingot 1 Gang Intermediate Switch Insert

SIN425 10AX Ingot 1 Gang Intermediate Switch Insert

MiniGrid™ Cover Plates

SCP401 1 Gang MiniGrid™ Cover Plate - 1 Aperture

Ingot 2 Way Switch Inserts

SIN411 10AX Ingot 1 Gang 2 Way Switch Insert

SIN412 10AX Ingot 2 Gang 2 Way Switch Insert

SIN413 10AX Ingot 3 Gang 2 Way Switch Insert

SIN414 10AX Ingot 4 Gang 2 Way Switch Insert

SIN416 10AX Ingot 6 Gang 2 Way Switch Insert

MiniGrid™ Cover Plates

SCP401 1 Gang MiniGrid™ Cover Plate - 1 Aperture

SCP402 1 Gang MiniGrid™ Cover Plate - 2 Apertures

SCP403 1 Gang MiniGrid™ Cover Plate - 3 Apertures

SCP404 2 Gang MiniGrid™ Cover Plate - 2 x 2 Apertures

SCP406 2 Gang MiniGrid™ Cover Plate - 2 x 3 Apertures

Standards: BS EN 60669

Back Box Depth: 25mm Minimum Cable Size: 4 x 1.5mm² / 2 x 2.5mm² / 1 x 6mm² Maximum
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



MINIGRID® For details of the complete range of modules please refer to our dedicated MiniGrid™ section.

MiniGrid™ Unfurnished Plate Inserts

- SIN401** 1 Gang MiniGrid™ Unfurnished Plate Insert - 1 Aperture
- SIN402** 1 Gang MiniGrid™ Unfurnished Plate Insert - 2 Apertures
- SIN403** 1 Gang MiniGrid™ Unfurnished Plate Insert - 3 Apertures
- SIN404** 2 Gang MiniGrid™ Unfurnished Plate Insert - 2 x 2 Apertures
- SIN406** 2 Gang MiniGrid™ Unfurnished Plate Insert - 2 x 3 Apertures
- SIN426** 2 Gang MiniGrid™ Unfurnished Plate Insert - 6 In-Line Apertures

MiniGrid™ Cover Plates

- SCP401** 1 Gang MiniGrid™ Cover Plate - 1 Aperture
- SCP402** 1 Gang MiniGrid™ Cover Plate - 2 Apertures
- SCP403** 1 Gang MiniGrid™ Cover Plate - 3 Apertures
- SCP404** 2 Gang MiniGrid™ Cover Plate - 2 x 2 Apertures
- SCP406** 2 Gang MiniGrid™ Cover Plate - 2 x 3 Apertures
- SCP426** 2 Gang MiniGrid™ Cover Plate - 6 In-Line Apertures

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Back Box Depth: Dependant on modules used Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Rotary Dimmer Switch Inserts - Push On/Off

- SIN140** 1 Gang 2 Way 400Va Dimmer Switch Insert
- SIN141** 1 Gang 2 Way 250Va Dimmer Switch Insert
- SIN142** 2 Gang 2 Way 250Va Dimmer Switch Insert
- SIN143** 3 Gang 2 Way 250Va Dimmer Insert
- SIN144** 4 Gang 2 Way 250Va Dimmer Insert

Rotary Dimmer Mounting Plates Inserts

- SIN141PL** 1 Gang Unfurnished Dimmer Switch Insert - 1 Aperture
- SIN142PL** 2 Gang Unfurnished Dimmer Switch Insert - 2 Apertures
- SIN143PL** 3 Gang Unfurnished Dimmer Switch Insert - 3 Apertures
- SIN144PL** 4 Gang Unfurnished Dimmer Switch Insert - 4 Apertures

- SP900** Dimmer M10 Nut Runner Tool
Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate.

Dimmer Switch Cover Plate & Dimmer Knob

- SCP241** 1 Gang Dimmer Switch Cover Plate
- SCP241** 1 Gang Dimmer Switch Cover Plate
- SCP242** 2 Gang Dimmer Switch Cover Plate
- SCP243** 3 Gang Dimmer Switch Cover Plate
- SCP244** 4 Gang Dimmer Switch Cover Plate

Dimmer Modules

- MD9001** 6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
- MD9010** 1-10V Analogue Dimmer Module (25 x 62mm)
- MD9022** 250W 2 Way Dimmer Module (25 x 62mm)
- MD9042** 400W 2 Way Dimmer Module (25 x 62mm)
- MD9014** 100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

Standards: BS EN 60669, BS EN 55015 Type: Leading Edge, MD9014: Leading & Trailing Edge
Back Box Depth: 35mm Cable Size: 2 x 1.5mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN420, SIN421 SCP221



SIN422 SCP222



SIN423 SCP223



SIN424 SCP224

10AX Intermediate Toggle Switch Modules

MD9125 10AX Intermediate Toggle Switch Module

Plate Finish

Chrome
Stainless Steel & Brushed Stainless

Module Finish

CH - Chrome
PN - Pearl Nickel



MD9125

DEFINITY™ PLATES ARE
MADE UP OF 2 COMPONENTS
(INSERT & COVER PLATE)

Please select one of each component:
Choose Insert (Blue Code)
then Choose Cover Plate (Orange Code)

1 Gang Intermediate Toggle Switch Insert

SIN420 10AX 1 Gang Intermediate Toggle Switch Insert

Toggle Switch Cover Plates

SCP221 1 Gang Toggle Switch Cover Plate

2 Way Toggle Switch Inserts

SIN421 10AX 1 Gang 2 Way Toggle Switch Insert

SIN422 10AX 2 Gang 2 Way Toggle Switch Insert

SIN423 10AX 3 Gang 2 Way Toggle Switch Insert

SIN424 10AX 4 Gang 2 Way Toggle Switch Insert

Toggle Switch Cover Plates

SCP221 1 Gang Toggle Switch Cover Plate

SCP222 2 Gang Toggle Switch Cover Plate

SCP223 3 Gang Toggle Switch Cover Plate

SCP224 4 Gang Toggle Switch Cover Plate

Standards: BS EN 60669

Back Box Depth: 35mm Minimum Cable Size: 2 x 2.5mm² / 4 x 1.5mm²

Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



Power Socket Outlets, Fused Connection Units & Control Switches

With the ever increasing demand for power supplies in all areas of the home comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.

The 5 different Definity™ plate finishes offer a solution for almost every possible design need and will enhance the décor of any area whether in a kitchen, bedroom, lounge or study etc...



13A Wall Socket Outlets | Round Pin
Wall Socket Outlets | Fused Connection Units
Fan Isolation Switches | DP Switches



SIN630 SCP430 SIN035 SCP435 SIN535 SCP435



SIN036 SCP436 SIN536 SCP436 SIN771U SCP471U SIN770 SCP470

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Socket Inserts

- SIN630 13A 1 Gang Socket Insert (Twin Earth)
- SIN035 13A 1 Gang DP Switched Socket Insert
- SIN535 13A Ingot 1 Gang DP Switched Socket Insert
- SIN036 13A 2 Gang DP Switched Socket Insert
- SIN536 13A Ingot 2 Gang DP Switched Socket Insert

Socket Cover Plates

- SCP430 13A 1 Gang Socket Cover Plate
- SCP435 13A 1 Gang Switched Socket Cover Plate
- SCP435 13A 1 Gang Switched Socket Cover Plate
- SCP436 13A 2 Gang Switched Socket Cover Plate
- SCP436 13A 2 Gang Switched Socket Cover Plate

Standards: BS1363,
Back Box Depth: 35mm Minimum Cable Size: 4 x 2.5mm² / 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN771U SCP471U SIN655 SCP655



SIN580 SCP480 SIN570 SCP470

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Socket Inserts

- SIN771U 13A 1 Gang Switched Socket With 2.1A USB Outlet Insert
- SIN770 13A 2 Gang Switched Socket With 2.1A USB Outlet (Twin Earth) Insert
- SIN780 13A 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth) Insert

Socket Cover Plates

- SCP471U 13A 1 Gang Switched Socket With 2.1A USB Charger Cover Plate
- SCP470 13A 2 Gang Switched Socket With 2.1A USB Charger Cover Plate
- SCP480 13A 2 Gang Switched Socket With Twin 2.1A USB Charger Cover Plate

Ingot Socket Inserts

- SIN571U 13A Ingot 1 Gang Switched Socket With 2.1A USB Outlet Insert
- SIN570 13A Ingot 2 Gang Switched Sockets With 2.1A USB Outlet (Twin Earth) Insert
- SIN580 13A Ingot 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth) Insert

Socket Cover Plates

- SCP471U 13A 1 Gang Switched Socket With 2.1A USB Charger Cover Plate
- SCP470 13A 2 Gang Switched Socket With 2.1A USB Charger Cover Plate
- SCP480 13A 2 Gang Switched Socket With Twin 2.1A USB Charger Cover Plate

Lockable Socket Inserts

- SIN655 13A 1G DP Key Lockable Socket With Neon Insert

Lockable Socket Cover Plates

- SCP655 13A 1 Gang DP Key Lockable Socket With Neon Cover Plate

Standards: BS1363, 570, 571: BS1363, BS5733, BS60950-1, EN61000-6-1, EN 61000-6-3 655: BS EN 60669-1, BS1363-2
Back Box Depth: 35mm Minimum 571, 655, 771: 47mm Minimum Cable Size: 4 x 2.5mm² / 2 x 4mm² 655: 3 x 2.5mm², 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN050

SCP150



SIN051

SCP151



SIN052

SCP152



SIN053

SCP153



SIN652

SCP252



SIN653

SCP253

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Fused Connection Unit With Optional Flex Outlet Inserts

- SIN050 13A FCU Insert
- SIN051 13A Switched FCU Insert
- SIN052 13A Switched FCU With Neon Insert
- SIN053 13A FCU With Neon Insert

Fused Connection Unit Without Flex Outlet Inserts

- SIN650 13A FCU Insert
- SIN651 13A Switched FCU Insert
- SIN652 13A Switched FCU With Neon Insert
- SIN653 13A FCU With Neon Insert

Fused Connection Unit With Flex Outlet Cover Plates

- SCP150 13A FCU Cover Plate
- SCP151 13A Switched FCU Cover Plate
- SCP152 13A Switched FCU With Neon Cover Plate
- SCP153 13A FCU With Neon Cover Plate

Fused Connection Unit Without Flex Outlet Cover Plates

- SCP250 13A FCU Cover Plate
- SCP251 13A Switched FCU Cover Plate
- SCP252 13A Switched FCU With Neon Cover Plate
- SCP253 13A FCU With Neon Cover Plate

Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN550

SCP150



SIN551

SCP151



SIN552

SCP152



SIN750

SCP250



SIN751

SCP251



SIN753

SCP253

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Ingot Fused Connection Unit With Optional Flex Outlet Inserts

- SIN550 13A Ingot FCU Insert
- SIN551 13A Ingot Switched FCU Insert
- SIN552 13A Ingot Switched FCU With Neon Insert
- SIN553 13A Ingot FCU With Neon Insert

Ingot Fused Connection Unit Without Flex Outlet Inserts

- SIN750 13A Ingot FCU Insert
- SIN751 13A Ingot Switched FCU Insert
- SIN752 13A Ingot Switched FCU With Neon Insert
- SIN753 13A Ingot FCU With Neon Insert

Fused Connection Unit With Flex Outlet Cover Plates

- SCP150 13A FCU Cover Plate
- SCP151 13A Switched FCU Cover Plate
- SCP152 13A Switched FCU With Neon Cover Plate
- SCP153 13A FCU With Neon Cover Plate

Fused Connection Unit Without Flex Outlet Cover Plates

- SCP250 13A FCU Cover Plate
- SCP251 13A Switched FCU Cover Plate
- SCP252 13A Switched FCU With Neon Cover Plate
- SCP253 13A FCU With Neon Cover Plate

Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN250 SCP350



SIN251 SCP351



SIN252 SCP352



SIN253 SCP353

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Lockable Fused Connection Unit With Optional Flex Outlet Insert

- SIN250 13A Lockable FCU Insert
- SIN249RD 3A Lockable FCU Insert
- SIN251 13A Lockable Switched FCU Insert
- SIN256RD 3A Lockable Switched FCU Insert
- SIN252 13A Lockable Switched FCU With Neon Insert
- SIN253 13A Lockable FCU With Neon Insert

Lockable Fused Connection Unit With Flex Outlet Cover Plates

- SCP350 13A Lockable FCU Cover Plate
- SCP351 13A Lockable Switched FCU Cover Plate
- SCP352 13A Lockable Switched FCU With Neon Cover Plate
- SCP353 13A Lockable FCU With Neon Cover Plate

Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN850 SCP450



SIN851 SCP451



SIN852 SCP452



SIN853 SCP453

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Lockable Fused Connection Unit Without Flex Outlet Insert

- SIN850 13A Lockable FCU Insert
- SIN851 13A Lockable Switched FCU Insert
- SIN852 13A Lockable Switched FCU With Neon Insert
- SIN853 13A Lockable FCU With Neon Insert

Lockable Fused Connection Unit Without Flex Outlet Cover Plates

- SCP450 13A Lockable FCU Cover Plate
- SCP451 13A Lockable Switched FCU Cover Plate
- SCP452 13A Lockable Switched FCU With Neon Cover Plate
- SCP453 13A Lockable FCU With Neon Cover Plate

Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN200



SCP200

SIN201

SCP201



SIN202

SCP202



SIN204

SCP204



SIN205

SCP205



SIN203

SCP203

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

45A DP Switches & Socket Inserts

- SIN200** 45A 1 Gang DP Switch Insert
- SIN201** 45A 1 Gang DP Switch With Neon Insert
- SIN202** 45A 2 Gang DP Switch Insert
- SIN203** 45A 2 Gang DP Switch With Neon Insert
- SIN204** 45A DP Switch With 13A DP Switched Socket Insert
- SIN205** 45A DP Switch With 13A DP Switched Socket & Neons Insert

Switches & Socket Cover Plates

- SCP200** 45A 1 Gang Switch Cover Plate
- SCP201** 45A 1 Gang Switch With Neon Cover Plate
- SCP202** 45A 2 Gang Switch Cover Plate
- SCP203** 45A 2 Gang Switch With Neon Cover Plate
- SCP204** 45A 2 Gang Switch With 13A Switched Socket Cover Plate
- SCP205** 45A 2 Gang Switch With 13A Switched Socket & Neons Cover Plate

Standards: BS EN 60669, BS 4177
Back Box Depth: 47mm Minimum Cable Size: 45A: 1 x 16mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN500

SCP200



SIN501

SCP201



SIN502

SCP202



SIN504

SCP204



SIN505

SCP205



SIN503

SCP203

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Ingot 45A Switches & Socket Inserts

- SIN500** 45A Ingot 1 Gang DP Switch Insert
- SIN501** 45A Ingot 1 Gang DP Switch With Neon Insert
- SIN502** 45A Ingot 2 Gang DP Switch Insert
- SIN503** 45A Ingot 2 Gang DP Switch With Neon Insert
- SIN504** 45A Ingot DP Switch With 13A DP Switched Socket Insert
- SIN505** 45A Ingot DP Switch With 13A DP Switched Socket & Neons Insert

Switches & Socket Cover Plates

- SCP200** 45A 1 Gang Switch Cover Plate
- SCP201** 45A 1 Gang Switch With Neon Cover Plate
- SCP202** 45A 2 Gang Switch Cover Plate
- SCP203** 45A 2 Gang Switch With Neon Cover Plate
- SCP204** 45A 2 Gang Switch With 13A Switched Socket Cover Plate
- SCP205** 45A 2 Gang Switch With 13A Switched Socket & Neons Cover Plate

Standards: BS EN 60669, BS 4177
Back Box Depth: 47mm Minimum Cable Size: 45A: 1 x 16mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN022



SCP322

SIN023

SCP323



SIN020

SCP402



SIN622

SCP422



SIN623

SCP423

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

20A DP Switch With Optional Flex Outlet Inserts

- SIN022 20A DP Switch Insert
- SIN023 20A DP Switch With Neon Insert

20A DP Switch Without Flex Outlet Inserts

- SIN622 20A DP Switch Insert
- SIN623 20A DP Switch With Neon Insert

3 Pole Fan Isolation Switch Insert

- SIN020 10A 3 Pole Fan Isolation Switch Insert

20A DP Switch With Flex Outlet Cover Plates

- SCP322 20A DP Switch Cover Plate
- SCP323 20A DP Switch With Neon Cover Plate

20A DP Switch Without Flex Outlet Cover Plates

- SCP422 20A DP Switch Cover Plate
- SCP423 20A DP Switch With Neon Cover Plate

Unfurnished Plate Cover Plates

- SCP402 1 Gang MiniGrid™ Cover Plate - 2 Apertures

Standards: BS EN 60669 Back Box Depth: 35mm Minimum 020: 25mm
Cable Size: 20A DP: 4 x 2.5mm² 10A 3P: 1 x 2.5mm² / 2 x 1.5mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN522

SCP322



SIN523

SCP323



SIN520

SCP402



SIN722

SCP422



SIN723

SCP423

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

Ingot 20A DP Switch With Optional Flex Inserts

- SIN522 20A Ingot DP Switch Insert
- SIN523 20A Ingot DP Switch With Neon Insert

Ingot 20A DP Switch Without Flex Inserts

- SIN722 20A Ingot DP Switch Insert
- SIN723 20A Ingot DP Switch With Neon Insert

Ingot 3 Pole Fan Isolation Switch Insert

- SIN520 10A Ingot 3 Pole Fan Isolation Switch Insert

20A DP Switch With Flex Outlet Cover Plates

- SCP322 20A DP Switch Cover Plate
- SCP323 20A DP Switch With Neon Cover Plate

20A DP Switch Without Flex Outlet Cover Plates

- SCP422 20A DP Switch Cover Plate
- SCP423 20A DP Switch With Neon Cover Plate

Unfurnished Plate Cover Plates

- SCP402 1 Gang MiniGrid™ Cover Plate - 2 Apertures

Standards: BS EN 60669 Back Box Depth: 35mm Minimum 520: 25mm
Cable Size: 20A DP: 4 x 2.5mm² 10A 3P: 1 x 2.5mm² / 2 x 1.5mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN038 SCP238



SIN039 SCP239



SIN024 SCP324



SIN100 SCP100



SIN660 SCP660



SIN034 SCP234



SIN060 SCP060



SIN061 SCP061

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)
Please select one of each component: Choose Insert (Blue Code) then Choose Cover Plate (Orange Code)

CLICK® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5: 2010 making it safe for use in bathrooms. Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.

Round Pin Socket Inserts

- SIN039 2A Round Pin Socket Insert
- SIN038 5A Round Pin Socket Insert
- SIN034 15A Round Pin Switched Socket Insert

Round Pin Socket Cover Plates

- SCP239 2A Round Pin Socket Cover Plate
- SCP238 5A Round Pin Socket Cover Plate
- SCP234 15A Round Pin Switched Socket Cover Plate

Lockable Switch Insert

- SIN660 20A Double Pole Key Lockable Switch Insert

Lockable Switch Cover Plates

- SCP660 20A Double Pole Key Lockable Switch Cover Plate

Sink/Bath Switch With Neon Insert

- SIN024 20A Sink/Bath Switch With Neon Insert

Sink & Bath Switch With Neon Cover Plate

- SCP324 20A Sink/Bath Switch With Neon Cover Plate

Dual Voltage Shaver Socket Outlet Insert

- SIN100 115/230V Dual Voltage Shaver Socket Insert

Dual Voltage Shaver Socket Outlet Cover Plate

- SCP100 Dual Voltage Shaver Socket Cover Plate

Blank Plate Inserts

- SIN060 1 Gang Blank Plate Insert
- SIN061 2 Gang Blank Plate Insert

Blank Plate Cover Plates

- SCP060 1 Gang Blank Cover Plate
- SCP061 2 Gang Blank Cover Plate

Standards: 034, 038, 039: BS546 660: BS EN 60669-1
Dimensions: 1 Gang: (86mm x 86mm x 4mm) Back Box Depth: 35mm Minimum 660: 47mm
Cable Size: 2A: 2 x 2.5mm² / 3 x 1.5mm² 5A: 2 x 2.5mm² / 3 x 1.5mm² 15A: 4 x 2.5mm² 660: 3 x 2.5mm², 2 x 4mm²

Standards: 024: BS EN 60669 100: BS EN 61558
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm) Back Box Depth: 35mm min. 100: 47mm min.
Cable Size: 024: 3 x 2.5mm² 100: 2 x 1.5mm² / 1 x 2.5mm²

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

TV, Telephone & Data Sockets

The following pages contain details of Definity™ products designed to deal with handling data and media transfer through telephone, computer, TV or radio. As well as the finished products please also find details of unfurnished mounting plates designed to accept custom selections of New Media™ modules from our dedicated modules section.



RJ11 Outlet | UK Telephone Outlets
Satellite Socket Outlets | Coaxial Sockets





SIN120, SIN125 **SCP120**



SIN115 **SCP115**



SIN121, SIN126 **SCP121**

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (**INSERT & COVER PLATE**)
Please select one of each component: Choose Insert (**Blue Code**) then Choose Cover Plate (**Orange Code**)

Single RJ11 Telephone Outlet Insert

SIN115 Single RJ11 (Irish/US) Outlet Insert

Single RJ11 Telephone Outlet Cover Plate

SCP115 Single RJ11 Telephone Outlet Cover Plate

Telephone Outlet Inserts

SIN120 Single Telephone Outlet Insert - Master
SIN125 Single Telephone Outlet Insert - Secondary
SIN121 Twin Telephone Outlet Insert - Master
SIN126 Twin Telephone Outlet - Secondary Insert

Telephone Outlet Cover Plates

SCP120 Single Telephone Outlet Cover Plate
SCP120 Single Telephone Outlet Cover Plate
SCP121 Twin Telephone Outlet Cover Plate
SCP121 Twin Telephone Outlet Cover Plate

Twin outlets are 2 separate sockets and not internally linked together.

Back Box Depth: 25mm Minimum 115: 47mm Minimum Termination Type: IDC
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN065, SIN158 **SCP231**



SIN066, SIN159 **SCP232**



SIN156 **SCP231**



SIN157, SIN170 **SCP232**

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (**INSERT & COVER PLATE**)
Please select one of each component: Choose Insert (**Blue Code**) then Choose Cover Plate (**Orange Code**)

Non-Isolated Coaxial Outlet Inserts

SIN065 Single Coaxial Outlet Insert
SIN066 Twin Coaxial Outlet Insert

Isolated Coaxial Cover Plates

SCP231 Single Coaxial Outlet Cover Plate
SCP232 Twin Coaxial Outlet Cover Plate

Isolated Coaxial Socket Inserts

SIN158 Single Isolated Coaxial Outlet Insert
SIN159 Twin Isolated Coaxial Outlet Insert

Isolated Coaxial Cover Plates

SCP231 Single Coaxial Outlet Cover Plate
SCP232 Twin Coaxial Outlet Cover Plate

Satellite Socket Inserts

SIN156 Non-Isolated Single Satellite Outlet Insert
SIN157 Isolated Satellite & Isolated Coaxial Outlet Insert
SIN170 Non-Isolated Satellite & Non-Isolated Coaxial Outlet Insert

Isolated Coaxial Cover Plates

SCP231 Single Coaxial Outlet Cover Plate
SCP232 Twin Coaxial Outlet Cover Plate
SCP232 Twin Coaxial Outlet Cover Plate

Isolated outlets will filter out any interference, if a 2 way signal is required, i.e. for use with satellite hard wire extensions, then a non-isolated outlet is required.

Back Box Depth: 25mm Minimum
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



SIN310 SCP310



SIN312 SCP312



SIN311 SCP311



MM410BK MM405WH MM501BK MM440BK



See our dedicated New Media™ section for more information on the range of New Media™ modules available.

New Media™ Unfurnished Plate Inserts

- SIN310 1 Gang New Media™ Unfurnished Plate Insert - 1 Aperture
- SIN311 1 Gang New Media™ Unfurnished Plate Insert - 2 Apertures
- SIN312 2 Gang New Media™ Unfurnished Plate Insert - 4 Apertures

New Media™ Cover Plates

- SCP310 1 Gang New Media™ Cover Plate - 1 Aperture
- SCP311 1 Gang New Media™ Cover Plate - 2 Apertures
- SCP312 2 Gang New Media™ Cover Plate - 4 Apertures

DEFINITY™ PLATES ARE MADE UP OF 2 COMPONENTS (INSERT & COVER PLATE)

Please select one of each component:
Choose Insert (Blue Code)
then Choose Cover Plate (Orange Code)

Back Box Depth: Dependant on module used
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



Components Listing

Definity™ gives the flexibility to mix and match insert colours to cover plate finishes giving infinite combinations. With a wide selection of standard and 'ingot' metallic inserts, simply select your design and colour of insert. After selecting your choice of insert choose your preferred cover plate and simply clip it onto the insert to finalise the installation.



Insert Design



10AX 1 Gang
2 Way Switch



10AX 1 Gang
Intermediate
Switch



Single Plate
Single Aperture
'Unfurnished'



10AX 2 Gang
2 Way Switch



Single Plate
Twin Aperture
'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert
SIN011BK - Black
SIN011PW - White

Standard Insert
SIN025BK - Black
SIN025PW - White

Insert Frame Only
SIN401BK - Black
SIN401PW - White
SIN401RD - Red

Standard Insert
SIN012BK - Black
SIN012PW - White

Insert Frame Only
SIN402BK - Black
SIN402PW - White
SIN402RD - Red

Ingot Switch Insert

SIN411BKBS
Black & Brushed
Stainless

SIN411BKCH
Black & Chrome

SIN411BKSS
Black & Stainless
Steel

SIN411PWBS
White & Brushed
Stainless

SIN411PWCH
White & Chrome

SIN411PWSS
White & Stainless
Steel

Ingot Switch Insert

SIN425BKBS
Black & Brushed
Stainless

SIN425BKCH
Black & Chrome

SIN425BKSS
Black & Stainless
Steel

SIN425PWBS
White & Brushed
Stainless

SIN425PWCH
White & Chrome

SIN425PWSS
White & Stainless
Steel

Ingot Switch Insert

SIN412BKBS
Black & Brushed
Stainless

SIN412BKCH
Black & Chrome

SIN412BKSS
Black & Stainless
Steel

SIN412PWBS
White & Brushed
Stainless

SIN412PWCH
White & Chrome

SIN412PWSS
White & Stainless
Steel

Cover Plate

Single Cover Plate Single Aperture

SCP401††



Red (RD) Finish Available

Single Cover Plate Twin Aperture

SCP402††



Red (RD) Finish Available

Standards: BS EN 60669

Back Box Depth: 25mm Minimum Cable Size: 4 x 1.5mm² / 2 x 2.5mm² / 1 x 6mm² Maximum
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



10AX 3 Gang
2 Way Switch



Single Plate Triple
Aperture 'Unfurnished'



10AX 4 Gang 2 Way Switch



Double Plate (2 x 2)
Aperture 'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert
SIN013BK - Black
SIN013PW - White

Insert Frame Only
SIN403BK - Black
SIN403PW - White
SIN403RD - Red

Standard Insert
SIN019BK - Black
SIN019PW - White

Insert Frame Only
SIN404BK - Black
SIN404PW - White
SIN404RD - Red

Ingot Switch Insert

SIN413BKBS
Black & Brushed
Stainless

SIN413BKCH
Black & Chrome

SIN413BKSS
Black & Stainless
Steel

SIN413PWBS
White & Brushed
Stainless

SIN413PWCH
White & Chrome

SIN413PWSS
White & Stainless
Steel

Ingot Switch Insert

SIN414BKBS
Black & Brushed
Stainless

SIN414BKCH
Black & Chrome

SIN414BKSS
Black & Stainless
Steel

SIN414PWBS
White & Brushed
Stainless

SIN414PWCH
White & Chrome

SIN414PWSS
White & Stainless
Steel

Cover Plate

Single Cover Plate Triple Aperture

SCP403††



Red (RD) Finish Available

Double Cover Plate (2 x 2) Aperture

SCP404††



Standards: BS EN 60669

Back Box Depth: 25mm Minimum Cable Size: 4 x 1.5mm² / 2 x 2.5mm² / 1 x 6mm² Maximum
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black


Insert Design



10AX 6 Gang
2 Way Switch



Double Plate
(2 x 3) Aperture
'Unfurnished'



Double Plate
(6 In-line) Aperture
'Unfurnished'

Select either a Standard or Ingot Insert

Standard Insert
SIN105BK - Black
SIN105PW - White

Standard Insert
SIN406BK - Black
SIN406PW - White

Standard Insert
SIN426BK - Black
SIN426PW - White

Ingot Switch Insert

SIN416BKBS
Black & Brushed Stainless

SIN416BKCH
Black & Chrome

SIN416BKSS
Black & Stainless Steel

SIN416PWBS
White & Brushed Stainless

SIN416PWCH
White & Chrome

SIN416PWSS
White & Stainless Steel

Cover Plate

Double Cover Plate (2 x 3) Aperture
SCP406††



Double Cover Plate (6 In-line) Aperture
SCP426††



Standards: BS EN 60669
Back Box Depth: 25mm Minimum Cable Size: 4 x 1.5mm² / 2 x 2.5mm² / 1 x 6mm² Maximum
Dimensions: 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



1 Gang 2 Way
400W Rotary
Dimmer Switch



1 Gang 2 Way
250W Rotary
Dimmer Switch



2 Gang 2 Way
250W Rotary
Dimmer Switch



3 Gang 2 Way
250W Rotary
Dimmer Switch

Select either a Standard or Ingot Insert

Dimmer Switch
SIN140
400W / Va
Suitable for dimming
both resistive and
inductive loads.

Dimmer knob
supplied with
cover plate

Dimmer Switch
SIN141
250W / Va
Suitable for dimming
both resistive and
inductive loads

Dimmer knob
supplied with
cover plate

Dimmer Switch
SIN142
250W / Va
Suitable for dimming
both resistive and
inductive loads

Dimmer knob
supplied with
cover plate

Dimmer Switch
SIN143
250W / Va
Suitable for dimming
both resistive and
inductive loads

Dimmer knob
supplied with
cover plate

**Rotary Dimmer
Mounting Plate**
SIN141PL
Dimmer module supplied
separately

**Rotary Dimmer
Mounting Plate**
SIN142PL
Dimmer module supplied
separately

**Rotary Dimmer
Mounting Plate**
SIN143PL
Dimmer module supplied
separately

Cover Plate

1 Gang Dimmer Switch
Cover Plate & Knob
SCP241††



2 Gang Dimmer Switch
Cover Plate & Knobs
SCP242††



3 Gang Dimmer Switch
Cover Plate & Knobs
SCP243††



Standards: BS EN 60669, BS EN 55015 Maximum Wattage: 1 Gang 630W, 2 Gang 1200W
Type: Leading Edge Back Box Depth: 35mm Cable Size: 2 x 1.5mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



4 Gang 2 Way 250W Dimmer Switch



10AX 1 Gang 2 Way Toggle Switch



10AX 1 Gang Intermediate Toggle Switch

Select either a Standard or Ingot Insert

Dimmer Switch

SIN144
250W / Va
Suitable for dimming both resistive and inductive loads

Dimmer knob supplied with cover plate

Rotary Dimmer Mounting Plate

SIN144PL
Dimmer module supplied separately

Toggle Switch

SIN421CH - Chrome
SIN421PN - Pearl Nickel

Recommended Cover Plate and Toggle Switch

Chrome Toggle: Chrome
Pearl Nickel Toggle: Brushed Stainless & Stainless Steel

Toggle Switch

SIN420CH - Chrome
SIN420PN - Pearl Nickel

Recommended Cover Plate and Toggle Switch

Chrome Toggle: Chrome
Pearl Nickel Toggle: Brushed Stainless & Stainless Steel

Cover Plate

4 Gang Dimmer Switch Cover Plate & Knobs
SCP2441t



1 Gang Toggle Switch Cover Plate
SCP2211t



Standards: BS EN 60669, BS EN 55015 Maximum Dimmer Wattage: 1 Gang: 630W, 2 Gang: 1200W
Back Box Depth: 35mm Cable Size: 144: 2 x 1.5mm² Toggle: 2 x 2.5mm² / 4 x 1.5mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm) Dimmer Type: Leading Edge

Understanding the code:
SIN - Insert Prefix 036 - Product No SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



10AX 2 Gang 2 Way Toggle Switch



10AX 3 Gang 2 Way Toggle Switch



10AX 4 Gang 2 Way Toggle Switch

Select either a Standard or Ingot Insert

Toggle Switch

SIN422CH - Chrome
SIN422PN - Pearl Nickel

Recommended Cover Plate and Toggle Switch

Chrome Toggle: Chrome
Pearl Nickel Toggle: Brushed Stainless & Stainless Steel

Toggle Switch

SIN423CH - Chrome
SIN423PN - Pearl Nickel

Recommended Cover Plate and Toggle Switch

Chrome Toggle: Chrome
Pearl Nickel Toggle: Brushed Stainless & Stainless Steel

Toggle Switch

SIN424CH - Chrome
SIN424PN - Pearl Nickel

Recommended Cover Plate and Toggle Switch

Chrome Toggle: Chrome
Pearl Nickel Toggle: Brushed Stainless & Stainless Steel

Cover Plate

2 Gang Toggle Switch Cover Plate
SCP2221t



3 Gang Toggle Switch Cover Plate
SCP2231t



4 Gang Toggle Switch Cover Plate
SCP2241t



Standards: BS EN 60669
Back Box Depth: 35mm Minimum Cable Size: 2 x 2.5mm² / 4 x 1.5mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



20A Double Pole Switch with Flex Outlet



20A Double Pole Switch with Flex Outlet & Neon



20A Double Pole Switch



20A Double Pole Switch with Neon

Select either a Standard or Ingot Insert

Standard Insert
SIN022BK - Black
SIN022PW - White

Standard Insert
SIN023BK - Black
SIN023PW - White

Standard Insert
SIN622BK - Black
SIN622PW - White

Standard Insert
SIN623BK - Black
SIN623PW - White

Ingot Switch Insert
SIN522BKBS
Black & Brushed Stainless
SIN522BKCH
Black & Chrome
SIN522BKSS
Black & Stainless Steel
SIN522PWBS
White & Brushed Stainless
SIN522PWCH
White & Chrome
SIN522PWSS
White & Stainless Steel

Ingot Switch Insert
SIN523BKBS
Black & Brushed Stainless
SIN523BKCH
Black & Chrome
SIN523BKSS
Black & Stainless Steel
SIN523PWBS
White & Brushed Stainless
SIN523PWCH
White & Chrome
SIN523PWSS
White & Stainless Steel

Ingot Switch Insert
SIN722BKBS
Black & Brushed Stainless
SIN722BKCH
Black & Chrome
SIN722BKSS
Black & Stainless Steel
SIN722PWBS
White & Brushed Stainless
SIN722PWCH
White & Chrome
SIN722PWSS
White & Stainless Steel

Ingot Switch Insert
SIN723BKBS
Black & Brushed Stainless
SIN723BKCH
Black & Chrome
SIN723BKSS
Black & Stainless Steel
SIN723PWBS
White & Brushed Stainless
SIN723PWCH
White & Chrome
SIN723PWSS
White & Stainless Steel

Cover Plate

20A DP Switch with Flex Outlet Cover Plate
SCP322††



20A DP Switch with Flex Outlet & Neon Cover Plate
SCP323††



20A DP Switch Cover Plate
SCP422††



20A DP Switch with Neon Cover Plate
SCP423††



Standards: BS EN 60669
Back Box Depth: 35mm Minimum Cable Size: 4 x 2.5mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



20A Sink & Bath Switch with Neon



10A 3 Pole Fan Isolation Switch



Lockable Switch

Select either a Standard or Ingot Insert

Standard Insert
SIN024BK - Black
SIN024PW - White

Standard Insert
SIN020BK - Black
SIN020PW - White

Standard Insert
SIN660BK - Black

Ingot Switch Insert
SIN520BKBS
Black & Brushed Stainless
SIN520BKCH
Black & Chrome
SIN520BKSS
Black & Stainless Steel
SIN520PWBS
White & Brushed Stainless
SIN520PWCH
White & Chrome
SIN520PWSS
White & Stainless Steel

Cover Plate

20A Sink & Bath Switch with Neon Cover Plate
SCP324††



10A Fan Isolation Switch Cover Plate
SCP402††



Lockable Switch Cover Plate
SCP660††



Standards: BS EN 60669 660: BS EN 60669-1 Back Box Depth: 35mm Minimum 020/520: 25mm 660: 47mm
Cable Size: 024: 3 x 2.5mm² 020/520: 2 x 1.5mm² 660: 3 x 2.5mm², 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



Lockable Socket



UK 13A 1 Gang Socket Outlet



115/230V Dual Voltage Shaver Socket Outlet

Select either a Standard or Ingot Insert

Standard Insert
SIN655BK - Black
SIN655PW - White

Standard Insert
SIN630BK - Black
SIN630PW - White

Standard Insert
SIN100BK - Black
SIN100PW - White

Cover Plate

Lockable Socket Cover Plate
SCP655††



UK 13A 1 Gang Socket Outlet Cover Plate
SCP430††



Dual Voltage Shaver Socket Outlet Cover Plate
SCP100††



Standards: BS 1363 655: BS EN 60669-1, BS1363-2
Back Box Depth: 35mm Minimum 655: 47mm Minimum 100: 47mm min Cable Size: 4 x 2.5mm² 655: 3 x 2.5mm², 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



2A 1 Gang Round Pin Socket Outlet



5A 1 Gang Round Pin Socket Outlet



15A 1 Gang Round Pin Switched Socket Outlet

Select either a Standard or Ingot Insert

Standard Insert
SIN039BK - Black
SIN039PW - White

Standard Insert
SIN038BK - Black
SIN038PW - White

Standard Insert
SIN034BK - Black
SIN034PW - White

Cover Plate

2A 1 Gang Round Pin Socket Outlet Cover Plate
SCP239††



5A 1 Gang Round Pin Socket Outlet Cover Plate
SCP238††



15A 1 Gang Round Pin Switched Socket Outlet Cover Plate
SCP234††



Standards: BS 1363, BS 546, 100: BS EN 61558
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm) Back Box Depth: 35mm Minimum
Cable Size: 2A: 2 x 2.5mm² / 3 x 1.5mm² 5A: 2 x 2.5mm² / 3 x 1.5mm² 15A: 4 x 2.5mm² 100: 2 x 1.5mm² / 1 x 2.5mm²

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



UK 13A 1 Gang Double Pole Switched Socket Outlet



UK 13A 2 Gang Double Pole Switched Socket Outlet

Select either a Standard or Ingot Insert

Standard Insert
SIN035BK - Black
SIN035PW - White

Ingot Switch Insert
SIN535BKBS
 Black & Brushed Stainless
SIN535BKCH
 Black & Chrome
SIN535BKSS
 Black & Stainless Steel
SIN535PWBS
 White & Brushed Stainless
SIN535PWCH
 White & Chrome
SIN535PWSS
 White & Stainless Steel

Standard Insert
SIN036BK - Black
SIN036PW - White
SIN036RD - Red

Ingot Switch Insert
SIN536BKBS
 Black & Brushed Stainless
SIN536BKCH
 Black & Chrome
SIN536BKSS
 Black & Stainless Steel
SIN536PWBS
 White & Brushed Stainless
SIN536PWCH
 White & Chrome
SIN536PWSS
 White & Stainless Steel

Cover Plate

UK 13A 1 Gang Switched Socket Outlet Cover Plate
SCP4351†



UK 13A 2 Gang Switched Socket Outlet Cover Plate
SCP4361†



Red (RD) Finish Available

Standards: BS 1363
 Back Box Depth: 35mm Minimum Cable Size: 4 x 2.5mm² / 2 x 4mm²
 Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



UK 13A 1 Gang Switched Socket Outlet with 2.1A USB Outlet



UK 13A 2 Gang Switched Socket Outlet with 2.1A USB Outlet



UK 13A 2 Gang Switched Socket Outlet with Twin 2.1A USB Outlets

Select either a Standard or Ingot Insert

Standard Insert
SIN771UBK - Black
SIN771UPW - White

Ingot Switch Insert
SIN571UBKBS
 Black & Brushed Stainless
SIN571UBKCH
 Black & Chrome
SIN571UBKSS
 Black & Stainless Steel
SIN571PWBS
 White & Brushed Stainless
SIN571PWCH
 White & Chrome
SIN571PWSS
 White & Stainless Steel

Standard Insert
SIN770BK - Black
SIN770PW - White

Ingot Switch Insert
SIN570BKBS
 Black & Brushed Stainless
SIN570BKCH
 Black & Chrome
SIN570BKSS
 Black & Stainless Steel
SIN570PWBS
 White & Brushed Stainless
SIN570PWCH
 White & Chrome
SIN570PWSS
 White & Stainless Steel

Standard Insert
SIN780BK - Black
SIN780PW - White

Ingot Switch Insert
SIN580BKBS
 Black & Brushed Stainless
SIN580BKCH
 Black & Chrome
SIN580BKSS
 Black & Stainless Steel
SIN580PWBS
 White & Brushed Stainless
SIN580PWCH
 White & Chrome
SIN580PWSS
 White & Stainless Steel

Cover Plate

UK 13A 1 Gang Switched Socket Outlet with 2.1A USB Outlet Cover Plate
SCP471U††



Red (RD) Finish Available

UK 13A 2 Gang Switched Socket Outlet with 2.1A USB Outlet Cover Plate
SCP470††



Red (RD) Finish Available

UK 13A 2 Gang Switched Socket Outlet with Twin 2.1A USB Outlets Cover Plate
SCP480††



Red (RD) Finish Available

Standards: BS1363-2, BS EN 62368-1, BS EN 62680-1-1
 Back Box Depth: 35mm Minimum Cable Size: 4 x 2.5mm² / 2 x 4mm²
 Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



13A Fused Connection Unit with Flex Outlet



13A Fused Connection Unit Double Pole Switched with Flex Outlet



13A Fused Connection Unit Double Pole Switched with Flex Outlet & Neon



13A Fused Connection Unit with Flex Outlet & Neon

Select either a Standard or Ingot Insert

Standard Insert
SIN050BK - Black
SIN050PW - White

Standard Insert
SIN051BK - Black
SIN051PW - White

Standard Insert
SIN052BK - Black
SIN052PW - White

Standard Insert
SIN053BK - Black
SIN053PW - White

Ingot Switch Insert

SIN550BKBS
Black & Brushed Stainless

SIN550BKCH
Black & Chrome

SIN550BKSS
Black & Stainless Steel

SIN550PWBS
White & Brushed Stainless

SIN550PWCH
White & Chrome

SIN550PWSS
White & Stainless Steel

Ingot Switch Insert

SIN551BKBS
Black & Brushed Stainless

SIN551BKCH
Black & Chrome

SIN551BKSS
Black & Stainless Steel

SIN551PWBS
White & Brushed Stainless

SIN551PWCH
White & Chrome

SIN551PWSS
White & Stainless Steel

Ingot Switch Insert

SIN552BKBS
Black & Brushed Stainless

SIN552BKCH
Black & Chrome

SIN552BKSS
Black & Stainless Steel

SIN552PWBS
White & Brushed Stainless

SIN552PWCH
White & Chrome

SIN552PWSS
White & Stainless Steel

Ingot Switch Insert

SIN553BKBS
Black & Brushed Stainless

SIN553BKCH
Black & Chrome

SIN553BKSS
Black & Stainless Steel

SIN553PWBS
White & Brushed Stainless

SIN553PWCH
White & Chrome

SIN553PWSS
White & Stainless Steel

Cover Plate

13A FCU with Flex Outlet Cover Plate

SCP15011



13A FCU Switched with Flex Outlet Cover Plate

SCP15111



13A FCU Switched with Flex Outlet & Neon Cover Plate

SCP15211



13A FCU with Flex Outlet & Neon Cover Plate

SCP15311



Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



13A Fused Connection Unit



13A Fused Connection Unit, Double Pole Switched



13A Fused Connection Unit, Double Pole Switched with Neon



13A Fused Connection Unit with Neon

Select either a Standard or Ingot Insert

Standard Insert
SIN650BK - Black
SIN650PW - White

Standard Insert
SIN651BK - Black
SIN651PW - White

Standard Insert
SIN652BK - Black
SIN652PW - White

Standard Insert
SIN653BK - Black
SIN653PW - White

Ingot Switch Insert

SIN750BKBS
Black & Brushed Stainless

SIN750BKCH
Black & Chrome

SIN750BKSS
Black & Stainless Steel

SIN750PWBS
White & Brushed Stainless

SIN750PWCH
White & Chrome

SIN750PWSS
White & Stainless Steel

Ingot Switch Insert

SIN751BKBS
Black & Brushed Stainless

SIN751BKCH
Black & Chrome

SIN751BKSS
Black & Stainless Steel

SIN751PWBS
White & Brushed Stainless

SIN751PWCH
White & Chrome

SIN751PWSS
White & Stainless Steel

Ingot Switch Insert

SIN752BKBS
Black & Brushed Stainless

SIN752BKCH
Black & Chrome

SIN752BKSS
Black & Stainless Steel

SIN752PWBS
White & Brushed Stainless

SIN752PWCH
White & Chrome

SIN752PWSS
White & Stainless Steel

Ingot Switch Insert

SIN753BKBS
Black & Brushed Stainless

SIN753BKCH
Black & Chrome

SIN753BKSS
Black & Stainless Steel

SIN753PWBS
White & Brushed Stainless

SIN753PWCH
White & Chrome

SIN753PWSS
White & Stainless Steel

Cover Plate

13A FCU Cover Plate

SCP25011



13A FCU Switched Cover Plate

SCP25111



13A FCU Switched with Neon Cover Plate

SCP25211



13A FCU with Neon Cover Plate

SCP25311



Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



13A Fused Connection Unit with Flex Outlet



13A Fused Connection Unit, Double Pole Switched with Flex Outlet



13A Fused Connection Unit, Double Pole Switched with Flex Outlet & Neon



13A Fused Connection Unit with Flex Outlet & Neon

Select either a Standard or Ingot Insert

Lockable	Lockable	Lockable	Lockable
Standard Insert SIN250BK - Black SIN250PW - White	Standard Insert SIN251BK - Black SIN251PW - White	Standard Insert SIN252BK - Black SIN252PW - White	Standard Insert SIN253BK - Black SIN253PW - White

Cover Plate

13A FCU with Flex Outlet Cover Plate

SCP3501†



13A FCU Switched with Flex Outlet Cover Plate

SCP3511†



13A FCU Switched with Flex Outlet & Neon Cover Plate

SCP3521†



13A FCU with Flex Outlet & Neon Cover Plate

SCP3531†



Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



13A Fused Connection Unit



13A Fused Connection Unit, Double Pole Switched



13A Fused Connection Unit, Double Pole Switched with Neon



13A Fused Connection Unit with Neon

Select either a Standard or Ingot Insert

Lockable	Lockable	Lockable	Lockable
Standard Insert SIN850BK - Black SIN850PW - White	Standard Insert SIN851BK - Black SIN851PW - White	Standard Insert SIN852BK - Black SIN852PW - White	Standard Insert SIN853BK - Black SIN853PW - White

Cover Plate

13A FCU Cover Plate

SCP4501†



13A FCU Switched Cover Plate

SCP4511†



13A FCU Switched with Neon Cover Plate

SCP4521†



13A FCU with Neon Cover Plate

SCP4531†



Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



3A Fused Connection Unit with Flex Outlet



3A Fused Connection Unit Double Pole Switched with Flex Outlet



45A Double Pole Switch (Single Plate)



45A Double Pole Switch with Neon (Single Plate)

Select either a Standard or Ingot Insert

Lockable
Standard Insert
SIN249RD - Red

Lockable
Standard Insert
SIN256RD - Red

Standard Insert
SIN200BK - Black
SIN200PW - White

Standard Insert
SIN201BK - Black
SIN201PW - White

Ingot Switch Insert
SIN500BKBS Black & Brushed Stainless
SIN500BKCH Black & Chrome
SIN500BKSS Black & Stainless Steel
SIN500PWBS White & Brushed Stainless
SIN500PWCH White & Chrome
SIN500PWSS White & Stainless Steel

Ingot Switch Insert
SIN501BKBS Black & Brushed Stainless
SIN501BKCH Black & Chrome
SIN501BKSS Black & Stainless Steel
SIN501PWBS White & Brushed Stainless
SIN501PWCH White & Chrome
SIN501PWSS White & Stainless Steel

Cover Plate

13A FCU with Flex Outlet Cover Plate

SCP3501†



Red (RD) Finish Available

13A FCU Switched with Flex Outlet Cover Plate

SCP3511†



Red (RD) Finish Available

45A Switch Cover Plate

SCP2001†



45A Switch with Neon Cover Plate

SCP2011†



Standards: BS1363 and BS1362 (Fuse) 249, 256: BS 1363 200, 201: BS EN 60669
Back Box Depth: 249, 256: 35mm Minimum 200, 201: 47mm Cable Size: 45A: 1x16mm² 13A: 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



45A Double Pole Switch (Vertical Double Plate)



45A Double Pole Switch with Neon (Vertical Double Plate)



45A Double Pole Switch with 13A Double Pole Switched Socket Outlet



45A Double Pole Switch with 13A Double Pole Switched Socket Outlet & Neons

Select either a Standard or Ingot Insert

Standard Insert
SIN202BK - Black
SIN202PW - White

Standard Insert
SIN203BK - Black
SIN203PW - White

Standard Insert
SIN204BK - Black
SIN204PW - White

Standard Insert
SIN205BK - Black
SIN205PW - White

Ingot Switch Insert
SIN502BKBS Black & Brushed Stainless
SIN502BKCH Black & Chrome
SIN502BKSS Black & Stainless Steel
SIN502PWBS White & Brushed Stainless
SIN502PWCH White & Chrome
SIN502PWSS White & Stainless Steel

Ingot Switch Insert
SIN503BKBS Black & Brushed Stainless
SIN503BKCH Black & Chrome
SIN503BKSS Black & Stainless Steel
SIN503PWBS White & Brushed Stainless
SIN503PWCH White & Chrome
SIN503PWSS White & Stainless Steel

Ingot Switch Insert
SIN504BKBS Black & Brushed Stainless
SIN504BKCH Black & Chrome
SIN504BKSS Black & Stainless Steel
SIN504PWBS White & Brushed Stainless
SIN504PWCH White & Chrome
SIN504PWSS White & Stainless Steel

Ingot Switch Insert
SIN505BKBS Black & Brushed Stainless
SIN505BKCH Black & Chrome
SIN505BKSS Black & Stainless Steel
SIN505PWBS White & Brushed Stainless
SIN505PWCH White & Chrome
SIN505PWSS White & Stainless Steel

Cover Plate

45A Switch Vertical Double Cover Plate

SCP2021†



45A Switch Vertical Double Cover Plate with Neon

SCP2031†



45A Switch with Switch Socket Outlet Cover Plate

SCP2041†



45A Switch with Switch Socket Outlet with Neons Cover Plate

SCP2051†



Standards: BS EN 60669, BS 4177
Back Box Depth: 47mm Minimum Cable Size: 45A: 1x16mm²
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



1 Gang
Blank Plate



2 Gang
Blank Plate



Single RJ11 Telephone
Outlet (US/Irish)

Select a Standard Insert

Standard Insert
SIN060BK - Black
SIN060PW - White

Standard Insert
SIN061BK - Black
SIN061PW - White

Standard Insert
SIN115BK - Black
SIN115PW - White

Cover Plate

1 Gang Blank
Cover Plate
SCP060††



2 Gang Blank
Cover Plate
SCP061††



Single RJ11 Socket Outlet
Cover Plate
SCP115††



Back Box Depth: 35mm Minimum
Dimensions: 1 Gang: (86mm x 86mm x 4mm) 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



Single Telephone
Master



Single Telephone
Secondary



Twin Telephone
Master



Twin Telephone
Secondary

Select a Standard Insert

Standard Insert
SIN120BK - Black
SIN120PW - White

Standard Insert
SIN125BK - Black
SIN125PW - White

Standard Insert
SIN121BK - Black
SIN121PW - White

Standard Insert
SIN126BK - Black
SIN126PW - White

Cover Plate

Single Telephone Outlet Cover Plate
SCP120††



Twin Telephone Outlet Cover Plate
SCP121††



Back Box Depth: 25mm Minimum
Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



Single Coaxial Socket Outlet (Unshielded)



Single 'Isolated' Coaxial Socket Outlet (Unshielded)



Single Satellite 'F' Outlet (Unshielded)

Select a Standard Insert

Standard Insert
SIN065BK - Black
SIN065PW - White

Standard Insert
SIN158BK - Black
SIN158PW - White

Standard Insert
SIN156BK - Black
SIN156PW - White

Cover Plate

Single Coaxial / Satellite Outlet Cover Plate
SCP231††



Back Box Depth: 25mm Minimum
 Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



Twin Coaxial Socket Outlet (Unshielded)



Twin 'Isolated' Coaxial Socket Outlet (Unshielded)



'Isolated' Coaxial & Satellite 'F' Socket Outlet (Unshielded)



'Non-Isolated' Coaxial & Satellite 'F' Socket Outlet (Unshielded)

Select a Standard Insert

Standard Insert
SIN066BK - Black
SIN066PW - White

Standard Insert
SIN159BK - Black
SIN159PW - White

Standard Insert
SIN157BK - Black
SIN157PW - White

Standard Insert
SIN170BK - Black
SIN170PW - White

Cover Plate

Twin Coaxial / Satellite Outlet Cover Plate
SCP232††



Back Box Depth: 25mm Minimum
 Dimensions: 1 Gang: (86mm x 86mm x 4mm)

Understanding the code:
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'INGOT' Switch Finish (if applicable).
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black

Insert Design



Single Plate
Single New Media™
Module Aperture



Single Plate
Twin New Media™
Module Aperture



Double Plate
Quad New Media™
Module Aperture

Select a Standard Insert

Standard Insert
SIN310BK

Standard Insert
SIN311BK

Standard Insert
SIN312BK

Cover Plate

Single Plate Single
New Media™ Module
Aperture Cover Plate

SCP310††



Single Plate Twin
New Media™ Module
Aperture Cover Plate

SCP311††



Double Plate Quad
New Media™ Module
Aperture Cover Plate

SCP312††



Back Box Depth: Dependant on module used.
Dimensions: 1 Gang: (86mm x 86mm x 4mm), 2 Gang: (146mm x 86mm x 4mm)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour. PW and BK are also available, produced from polycarbonate.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, PW White, BK Black



WA092



SP640



WA094



WA095



WA099



WA102

essentials™ For the complete range of back boxes see Essentials™ page m4.

Galvanised Steel Back Boxes

- WA092** 1 Gang 16mm Deep Galvanised Steel K.O. Box
- WA093** 1 Gang 25mm Deep Galvanised Steel K.O. Box
- WA094** 2 Gang 25mm Deep Galvanised Steel K.O. Box
- WA095** 1 Gang 35mm Deep Galvanised Steel K.O. Box
- WA096** 2 Gang 35mm Deep Galvanised Steel K.O. Box
- WA097** 1 Gang 47mm Deep Galvanised Steel K.O. Box
- WA098** 2 Gang 47mm Deep Galvanised Steel K.O. Box
- WA099** 1 + 1 35mm Deep Dual Accessory Box
- WA102** 1 + 2 35mm Deep Dual Accessory Box

Longer Fixing Screws

- SP640BN** Define® 3.5mm Dia. 40mm Long Screws (Bag 100)
- SP640CH** Define® 3.5mm Dia. 40mm Long Screws (Bag 100)

Screws available in Black Nickel (BN) and Chrome (CH)




WA106P



WA107P



GA100



WA4135



WA4247

essentials™ For the complete range of back boxes see Essentials™ page m7.

Dry Lining Boxes

- WA087P** 1 Gang 35mm Deep Dry Lining Box
- WA088P** 2 Gang 35mm Deep Dry Lining Box
- WA106P** 1 Gang 47mm Deep Dry Lining Box
- WA107P** 2 Gang 47mm Deep Dry Lining Box
- WA108P** Round Ceiling 34mm Deep Dry Lining Box

FlameGuard® Dry Lining Boxes

- WA4135** 1 Gang 35mm Deep FlameGuard® Dry Lining Box
- WA4235** 2 Gang 35mm Deep FlameGuard® Dry Lining Box
- WA4147** 1 Gang 47mm Deep FlameGuard® Dry Lining Box
- WA4247** 2 Gang 47mm Deep FlameGuard® Dry Lining Box

'Ezylink' Dry Lining Box Connector

- GA100** 'Ezylink' Dry Lining Box Connector

FlameGuard® back boxes have been tested and conform to both fire and acoustic BS EN 1364-1:2015 Acoustic: BS EN ISO 10140-2: 2010 Complies with Building Regulations
Fire tested up to 90 minutes with the capability of the boxes being mounted back to back.